Contents

Vertical Distributions of Continental Shelf Zooplankton in Stratified and Isothermal Waters
J. T. Turner and M. J. Dagg 1

Biology of the Longfin Hake, *Phycis chesteri*, in the Western North Atlantic
Charles A. Wenner 41

Relationship Between Ichthyoplankton Abundance and Associated Zooplankton Biomass in the Shelf Waters off Argentina
J. D. de Ciechomski and R. P. Sanchez 77

Dragonet Larvae (Teleostei, Callionymidae) in Continental Shelf Waters off the Eastern United States
John E. Olney and George R. Sedberry 103

Microbial Productivity and Community Growth Rate Estimates in the Tropical North Pacific Ocean
Christopher D. Winn and David M. Karl 123

Fecundity and Other Aspects of Reproductive Effort in Mesopelagic Fishes from the North Central and Equatorial Pacific
T. A. Clarke 147

Mesopelagic Fish Faunal Regions of the Northeast Pacific
J. Marcus Willis 167

The Effects of Iron and Manganese on Copper Sensitivity in Diatoms: Differences in the Responses of Closely Related Neritic and Oceanic Species
L. S. Murphy, R. R. L. Guillard, and J. F. Brown 187

A Nitrogen Budget for the Gulf of Maine and Georges Bank
Ronald J. Schlitz and Edward B. Cohen 203

Photosynthetic Characteristics of Picoplankton Compared with Those of Larger Phytoplankton Populations, in Various Water Masses in the Gulf of Maine
Hilary E. Glover, David A. Phinney, and Charles S. Yentsch 223

Ammonia Excretion Rates of Oceanic Copepods and Implications for Estimates of Primary Production in the Sargasso Sea
Peter G. Verity 249

Aspects of the Trophic Ecology of the Mesopelagic Fish *Lampanyctus alatus* (Family Myctophidae) in the Eastern Gulf of Mexico
Thomas L. Hopkins and Ronald C. Baird 285

A Study Contradicting the "Luxury Consumption" of Silicon by the Marine Prasinophycean Alga, *Platymonas*
T. Smith-Palmer, A. S. W. de Freitas, A. G. McInnes, A. Rogerson, A. W. McCulloch, and J. McLachlan 315

A Model of Annual Plankton Cycles
Geoffrey T. Evans and John S. Parslow 327

Observations on the Ecology of Deep-Sea Bottom-Living Fishes Collected off Northwest Africa: II. The Moroccan Slope (27°–34° N), with Special Reference to *Synaphobranchus kaupi*
N. R. Merrett and P. A. Domanski 349

Midshelf Fronts in the South Atlantic Bight and Their Influence on Seabird Distribution and Seasonal Abundance
J. Christopher Haney and Philip A. McGillivary 401

The Vertical Distribution of Decapoda, Euphausiacea, and Mysidacea at 42° N, 17° W
P. M. Hargreaves 431